

# DECLARATION OF PERFORMANCE

No. 1-CPR-2

Construction product: Decorative Wallcovering  
Product standard: SS-EN 15102:2007+A1:2011  
Attestation of conformity system: System 3.  
Notified Body: 0402  
SP Sveriges Tekniska Forskningsinstitut  
Box 857, 501 15 BORÅS  
Sweden  
Manufactured by: WA WallVision Sweden AB  
Box 1, SE-501 13 BORÅS  
Sweden

## Performance:

<b>Reaction to fire class:</b>	Se front on label	
<b>Release of formaldehyde:</b>	Passed	< 120 mg/kg
<b>Release of other dangerous substances:</b>	Passed	
- of heavy metals and specific elements	Antimony	(N/A) mg/kg
	Arsenic	< 25 mg/kg
	Barium	< 500 mg/kg
	Cadmium	< 25 mg/kg
	Chromium	< 60 mg/kg
	Lead	< 90 mg/kg
	Mercury	< 20 mg/kg
	Selenium	< 165 mg/kg
- of vinyl chloride monomer	Passed	< 0,2 mg/kg
<b>Thermal resistance:</b>	npd	
<b>Sound absorption:</b>	npd	


This document certifies that all the provisions concerning the attestation of conformity and product performance described in Annex ZA of the product standard were applied and that the product fulfils all the prescribed requirements.

**Manufacturer** WA WallVision Sweden AB

**Brands** Boråstapeter, ECO Wallpaper, Cole&Son, MrPerswall

**Date** 140616

**Signature**

  
Anders Sörling, Quality manager